



C&O
GROUP

COASTAL ENERGEN PVT. LTD

7th Floor, Buhari Towers, 4, Moores Road, Chennai - 600 006. INDIA.

Tel: +91 44 4296 4296. Fax: +91 44 4296 4297. www.coastalenergen.com

CIN : U40102TN2006PTC060009

(Under Corporate Insolvency Resolution Process vide order of Hon'ble NCLT dated 04.02.2022)

ENERGEN/ENV/TNPCB/2023-24/50

10.01.2024

To

The Member Secretary,

Tamil Nadu Pollution Control Board,

76, Anna Salai, Guindy,

Chennai - 600 032.

Dear Sir,

Sub: Submission of Monthly Environment report - Reg.


This has reference to the captioned subject; we enclose the Monthly Environment Report for the period of 01.12.2023 to 31.12.2024.

This is for your kind information and records.

Thanking You,

Yours faithfully,

For COASTAL ENERGEN PRIVATE LIMITED



MK Parameswaran

Station Director



Copy to: 1. Joint Chief Environmental Engineer (M), TNPCB, Tirunelveli

2. District Environmental Engineer, TNPCB, Tuticorin





COASTAL ENERGEN PRIVATE LIMITED


2 X 600 MW MUTIARA THERMAL POWER PLANT

METROLOGICAL STATION REPORT

Daily Average from 01.12.2023 to 31.12.2023

Date	Ambient Temperature (°C)			Barometric Pressure (m.bar)			Predominant Wind direction Blowing from	Wind Speed (Km/Hr)			Relative Humidity (%)			Rain Fall (mm)
	Min	Max	Avg	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	
1-Dec-23	23.4	32.5	27.5	1037	1041	1039	North East & East	1.23	20.59	6.73	56	95.1	79.9	0
2-Dec-23	24.6	33.3	28.5	1036	1040	1038	West & South West	1.23	18.04	5.59	55.5	90.9	76.4	0
3-Dec-23	24.1	33.9	28.4	1037	1040	1038	North West & South East	1.23	15.73	5.1	54.8	97.5	80.4	0
4-Dec-23	25	34.1	28.7	1036	1039	1037	South East & North West	1.23	20.22	6.37	58.9	96.7	81.1	0
5-Dec-23	25.1	36.4	29.5	1036	1039	1037	South East & South	1.23	18.97	7	49.6	95.3	77.1	0
6-Dec-23	24.6	34	28.8	1037	1040	1039	South & South East	1.23	20.87	7.38	61.9	97.5	81.1	0
7-Dec-23	25.2	31.8	27.3	1039	1041	1039	South & South East	1.23	17.03	5.84	66.8	95.6	87.6	0
8-Dec-23	24.4	33.5	28.3	1038	1041	1040	East & South East	1.23	16.41	5.25	59.7	97.3	82.9	0
9-Dec-23	24	31.9	27.3	1039	1043	1041	East & North East	1.23	17.07	5.54	68.5	99.3	88.7	18.5
10-Dec-23	25.1	29.1	26.8	1039	1042	1040	East & North East	1.23	14.87	6.32	75.4	95.1	88.1	0
11-Dec-23	25.3	30	27.1	1039	1042	1040	East & North East	2.63	18.32	8.06	71.4	90	82.9	0
12-Dec-23	24.2	31.1	27	1039	1041	1040	East & South East	1.23	19.46	8.43	61.6	93.1	79.6	0
13-Dec-23	22.7	30.7	26	1039	1042	1040	East & North East	1.45	21.61	8.13	60.8	95.2	80.0	0
14-Dec-23	22.9	31	26.6	1039	1042	1041	East & South East	1.95	26.53	10.03	53.9	87.9	74.1	0
15-Dec-23	24.8	28.7	26.4	1039	1042	1041	South & South East	3.38	23.63	10.03	69	85.3	78.0	0
16-Dec-23	23.1	26.5	24.7	1039	1042	1041	South & South West	1.6	19.44	7.96	84.8	97.7	91.0	48
17-Dec-23	23.3	25.7	24.3	1038	1041	1039	East & South East	1.44	25.31	13.68	92.1	99.5	97.1	0
18-Dec-23	21.6	24.8	23.2	1039	1042	1041	South East & South	1.88	31.74	10.82	86.6	99.5	95.9	374
19-Dec-23	22.6	27.7	24.8	1040	1043	1041	South East & South	1.39	26.22	9.39	72.9	96.1	86.6	94
20-Dec-23	22.7	29.8	25.3	1040	1043	1041	South East & South	1.9	21.7	10.83	69.8	96.6	85.9	0
21-Dec-23	23.1	27.9	24.8	1040	1043	1041	South & South West	1.23	23.55	10.05	79.2	99	90.0	0
22-Dec-23	23.2	30.9	26	1040	1043	1041	East & South East	1.23	22.13	8.34	62.7	98.9	84.0	0
23-Dec-23	22.6	31.2	25.8	1041	1044	1042	East & North East	1.23	19.76	8.13	60.8	97.4	83.8	0
24-Dec-23	22.8	30.6	25.8	1041	1044	1042	South East & East	1.46	21.98	10.3	60.9	97	79.5	0
25-Dec-23	23.2	31.9	26.8	1040	1043	1042	East & North East	2.81	27.2	9.86	61.2	93.2	81.0	0
26-Dec-23	23.8	31.6	26.8	1040	1043	1042	East & South East	1.82	23.03	10.85	58.3	94.4	80.9	0
27-Dec-23	22.9	31.4	26.8	1040	1043	1042	East & South East	2.39	25.53	11.97	62.0	90.5	77.6	0
28-Dec-23	23	31.4	27	1039	1043	1041	East & South East	3.73	25.4	12	66.2	98	81.2	0
29-Dec-23	24.3	31.3	27.0	1040	1043	1041	East & North East	2.97	26.42	11.25	67.9	93.1	82.8	0
30-Dec-23	24.9	31.3	27.2	1040	1043	1041	East & North East	2.61	24.31	10.31	64.1	91.8	80.8	0
31-Dec-23	24.3	31.2	26.8	1039	1043	1041	East & North East	2.05	22.98	9.18	63.3	91.8	80.4	0
Remarks:	Total Rainfall for the month			534.5 mm.			Rain Gauge Sensor was not working due to flood, Rain Data from 15.12.23 to 18.12.23 is collected from TNSMART Website.							

For Coastal Energen Pvt. Limited



MK Parameswaran
Station Director



COASTAL ENERGEN PRIVATE LIMITED

2 X 600 MW MUTIARA THERMAL POWER PLANT

CONTINUOUS AMBIENT AIR QUALITY MONITORING REPORT

Daily Average from 01.12.2023 to 31.12.2023

Date	STATION-1 (Near Main Office)						STATION-2 (Near Batching Plant)						STATION-3 (Near Crusher House)						STATION-4 (Sea Water Pump House)					
	SO2 80 µg/m	NOX 80 µg/m	PM10 100 µg/m	PM2.5 60 µg/m	CO 02 mg/m	CO 02 mg/m	SO2 80 µg/m	NOX 80 µg/m	PM10 100 µg/m	PM2.5 60 µg/m	CO 02 mg/m	CO 02 mg/m	SO2 80 µg/m	NOX 80 µg/m	PM10 100 µg/m	PM2.5 60 µg/m	CO 02 mg/m	CO 02 mg/m	SO2 80 µg/m	NOX 80 µg/m	PM10 100 µg/m	PM2.5 60 µg/m	CO 02 mg/m	
CAAQM STANDARD																								
1-Dec-23	4.0	6.0	33.0	21.0	0.4	0.4	4.0	4.0	29.0	6.0	0.6	0.6	7.0	5.0	19.0	4.0	0.5	0.5	7.0	6.0	39.0	14.0	0.6	
2-Dec-23	3.0	4.0	31.0	18.0	0.5	0.5	5.0	6.0	36.0	8.0	0.6	0.6	8.0	6.0	26.0	9.0	0.4	0.4	8.0	7.0	43.0	26.0	0.7	
3-Dec-23	4.0	5.0	24.0	34.0	0.5	0.5	4.0	5.0	31.0	9.0	0.6	0.6	8.0	4.0	25.0	8.0	0.5	0.5	8.0	6.0	53.0	43.0	0.8	
4-Dec-23	4.0	4.0	29.0	36.0	0.5	0.5	4.0	5.0	59.0	9.0	0.7	0.7	9.0	6.0	33.0	9.0	0.5	0.5	8.0	7.0	65.0	40.0	0.9	
5-Dec-23	4.0	7.0	30.0	27.0	0.5	0.5	5.0	6.0	67.0	7.0	0.7	0.7	9.0	9.0	26.0	8.0	0.4	0.4	8.0	7.0	64.0	45.0	0.9	
6-Dec-23	3.0	7.0	33.0	35.0	0.6	0.6	4.0	5.0	67.0	7.0	0.7	0.7	9.0	9.0	30.0	10.0	0.4	0.4	7.0	8.0	63.0	40.0	0.6	
7-Dec-23	4.0	7.0	39.0	27.0	0.5	0.5	4.0	4.0	53.0	7.0	0.7	0.7	9.0	9.0	24.0	7.0	0.4	0.4	8.0	8.0	72.0	38.0	0.7	
8-Dec-23	4.0	6.0	37.0	19.0	0.4	0.4	4.0	4.0	32.0	4.0	0.6	0.6	9.0	9.0	15.0	4.0	0.4	0.4	8.0	8.0	36.0	27.0	0.6	
9-Dec-23	4.0	7.0	36.0	18.0	0.5	0.5	4.0	4.0	20.0	9.0	0.6	0.6	9.0	9.0	7.0	2.0	0.4	0.4	8.0	7.0	22.0	14.0	0.9	
10-Dec-23	4.0	7.0	44.0	23.0	0.6	0.6	4.0	4.0	33.0	5.0	0.7	0.7	8.0	9.0	13.0	5.0	0.4	0.4	7.0	8.0	38.0	28.0	0.7	
11-Dec-23	4.0	6.0	42.0	34.0	0.6	0.6	4.0	4.0	44.0	7.0	0.7	0.7	8.0	9.0	19.0	9.0	0.2	0.2	7.0	8.0	50.0	38.0	0.7	
12-Dec-23	4.0	6.0	39.0	41.0	0.7	0.7	4.0	4.0	41.0	9.0	0.7	0.7	8.0	9.0	23.0	10.0	0.4	0.4	7.0	6.0	56.0	46.0	0.6	
13-Dec-23	3.0	6.0	40.0	29.0	0.4	0.4	5.0	6.0	36.0	14.0	0.6	0.6	9.0	9.0	30.0	12.0	0.4	0.4	8.0	7.0	46.0	36.0	0.6	
14-Dec-23	4.0	6.0	43.0	31.0	0.6	0.6	4.0	4.0	11.0	13.0	0.7	0.7	8.0	9.0	32.0	14.0	0.4	0.4	7.0	8.0	82.0	41.0	0.6	
15-Dec-23	4.0	7.0	52.0	36.0	0.7	0.7	5.0	4.0	39.0	15.0	0.7	0.7	8.0	9.0	38.0	19.0	0.4	0.4	8.0	8.0	99.0	43.0	0.7	
16-Dec-23	4.0	7.0	43.0	49.0	0.7	0.7	4.0	4.0	51.0	13.0	0.8	0.8	8.0	9.0	21.0	11.0	0.5	0.5	8.0	8.0	68.0	69.0	0.6	
17-Dec-23	4.0	6.0	41.0	31.0	0.6	0.6	4.0	4.0	31.0	7.0	0.7	0.7	8.0	9.0	12.0	6.0	0.4	0.4	7.0	9.0	33.0	37.0	0.8	
18-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
19-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
20-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
21-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
22-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
23-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
24-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
26-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
27-Dec-23	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
28-Dec-23	*	*	*	*	*	*	4.0	5.0	34.0	#	0.7	0.7	*	*	*	*	*	*	*	*	*	*	*	
29-Dec-23	*	*	*	*	*	*	4.0	6.0	39.0	#	0.7	0.7	*	*	*	*	*	*	*	*	*	*	*	
30-Dec-23	*	*	*	*	*	*	4.0	4.0	38.0	#	0.7	0.7	*	*	*	*	*	*	*	*	*	*	*	
31-Dec-23	*	*	*	*	*	*	4.0	5.0	49.0	#	0.6	0.6	*	*	*	*	*	*	*	*	*	*	*	

Remarks:

* Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is

For Coastal Energen Pvt. Limited
MK Parameswaran
Station Director
TUTICORIN
Melamparambath

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Due to Flood in plant, Network Connectivity is interrupted & the data not received.

Remarks:



COASTAL ENERGEN PRIVATE LIMITED

2 X 600 MW MUTIARA THERMAL POWER PLANT


STACK EMISSION MONITORING REPORT

Daily Average from 01.12.2023 to 31.12.2023

Date	UNIT-1			UNIT-2					
	PM (50 mg/m3)	SO2 (200 mg/m3)	Nox (450 mg/m3)	PM (50 mg/m3)	SO2 (200 mg/m3)	Nox (450 mg/m3)			
1-Dec-23	Unit not in operation			44	159	150			
2-Dec-23				45	159	119			
3-Dec-23				45	160	112			
4-Dec-23				46	161	128			
5-Dec-23				47	141	121			
6-Dec-23				46	153	127			
7-Dec-23				45	158	141			
8-Dec-23				45	142	136			
9-Dec-23				45	143	128			
10-Dec-23				45	174	143			
11-Dec-23				45	180	144			
12-Dec-23				44	162	141			
13-Dec-23				44	150	122			
14-Dec-23				43	142	111			
15-Dec-23				45	189	82			
16-Dec-23				47	177	88			
17-Dec-23				46	141	97			
18-Dec-23				43	129	94			
19-Dec-23				Unit not in operation					
20-Dec-23									
21-Dec-23									
22-Dec-23									
23-Dec-23									
24-Dec-23									
25-Dec-23									
26-Dec-23									
27-Dec-23									
28-Dec-23									
29-Dec-23									
30-Dec-23									
31-Dec-23	#	#	#	Unit not in operation					
Remarks:	Due to Network Connectivity Issue, Data was recorded.								

For Coastal Energen Pvt. Limited


 MK Parameswaran
 Station Director





COASTAL ENERGEN PRIVATE LIMITED

2 X 600 MW MUTIARA THERMAL POWER PLANT

CONTINUOUS EFFLUENT MONITORING SYSTEM REPORT

Daily Average from 01.12.2023 to 31.12.2023

Date	ETP TREATED WATER QUALITY		
	Temperature (40 °C)	TSS (100 mg/Lit)	pH (5.5 to 9)
1-Dec-23	*	*	*
2-Dec-23	*	*	*
3-Dec-23	*	*	*
4-Dec-23	*	*	*
5-Dec-23	*	*	*
6-Dec-23	*	*	*
7-Dec-23	*	*	*
8-Dec-23	*	*	*
9-Dec-23	*	*	*
10-Dec-23	*	*	*
11-Dec-23	*	*	*
12-Dec-23	*	*	*
13-Dec-23	*	*	*
14-Dec-23	*	*	*
15-Dec-23	*	*	*
16-Dec-23	*	*	*
17-Dec-23	*	*	*
18-Dec-23	*	*	*
19-Dec-23	*	*	*
20-Dec-23	*	*	*
21-Dec-23	*	*	*
22-Dec-23	*	*	*
23-Dec-23	*	*	*
24-Dec-23	*	*	*
25-Dec-23	*	*	*
26-Dec-23	*	*	*
27-Dec-23	*	*	*
28-Dec-23	*	*	*
29-Dec-23	*	*	*
30-Dec-23	*	*	*
31-Dec-23	*	*	*
Remarks:	* DSC was not approved by third party and the data was not transferred to TNPCB.		

For Coastal Energen Pvt. Limited


MK Parameswaran
Station Director






COASTAL ENERGEN PRIVATE LIMITED

2 X 600 MW MUTIARA THERMAL POWER PLANT

DAILY EFFLUENT DISCHARGE FROM 01.12.2023 to 31.12.2023

DATE	ETP TREATED WATER (m3)	STP-1 TREATED WATER (m3)	STP-2 TREATED WATER (m3)
1-Dec-23	*	6.6	3.6
2-Dec-23	*	9.0	3.6
3-Dec-23	183.0	6.0	3.6
4-Dec-23	*	9.0	3.6
5-Dec-23	*	6.6	3.6
6-Dec-23	*	9.0	3.6
7-Dec-23	116.0	9.0	3.6
8-Dec-23	*	9.0	3.6
9-Dec-23	*	9.0	3.6
10-Dec-23	*	6.0	3.6
11-Dec-23	*	6.6	3.6
12-Dec-23	*	9.0	3.6
13-Dec-23	*	9.0	4.2
14-Dec-23	*	6.0	3.0
15-Dec-23	*	9.0	3.6
16-Dec-23	*	9.0	3.6
17-Dec-23	*	6.0	3.6
18-Dec-23	*	#	#
19-Dec-23	*	9.0	3.6
20-Dec-23	*	6.6	3.6
21-Dec-23	*	9.0	3.6
22-Dec-23	*	6.0	3.6
23-Dec-23	*	9.0	3.6
24-Dec-23	*	6.0	3.6
25-Dec-23	*	5.4	3.6
26-Dec-23	*	6.6	3.6
27-Dec-23	*	6.6	3.6
28-Dec-23	*	8.4	3.6
29-Dec-23	*	9.0	3.6
30-Dec-23	*	9.0	3.6
31-Dec-23	*	6.0	3.6
Remarks:	* No Effluent Generation # Due to Flood in Plant, STP was not in Operation		

For Coastal Energen Pvt. Limited



MK Parameswaran
Station Director



COASTAL ENERGEN PRIVATE LIMITED

2 X 600 MW MUTIARA THERMAL POWER PLANT

SEA WATER INTAKE & OUTFALL TEMPERATURE DIFFERENCE FROM 01.12.2023 TO 31.12.2023

Date	Sea Water Intake	Sea Water Outfall	Difference
1-Dec-23	28.86	32.01	3.15
2-Dec-23	28.9	32.28	3.38
3-Dec-23	28.77	32.17	3.40
4-Dec-23	29.15	32.38	3.23
5-Dec-23	29.46	32.49	3.03
6-Dec-23	29.01	32.62	3.61
7-Dec-23	29.17	32.81	3.64
8-Dec-23	29.24	33.05	3.81
9-Dec-23	28.42	32.89	4.47
10-Dec-23	28.38	32.4	4.02
11-Dec-23	28.32	32.35	4.03
12-Dec-23	28.41	32.33	3.92
13-Dec-23	28.04	32.05	4.01
14-Dec-23	28.26	31.79	3.53
15-Dec-23	27.84	31.61	3.77
16-Dec-23	27.16	31.26	4.10
17-Dec-23	26.77	30.9	4.13
18-Dec-23	*	*	*
19-Dec-23	*	*	*
20-Dec-23	*	*	*
21-Dec-23	*	*	*
22-Dec-23	*	*	*
23-Dec-23	*	*	*
24-Dec-23	*	*	*
25-Dec-23	*	*	*
26-Dec-23	*	*	*
27-Dec-23	*	*	*
28-Dec-23	*	*	*
29-Dec-23	*	*	*
30-Dec-23	*	*	*
31-Dec-23	*	*	*

Remarks: Temperature difference of sea water intake and outfall temperature were with in the prescribed Limit of 5°C.
* Due to Flood ,Network Connectivity is interrupted and the Data not Recorded.

For Coastal Energen Pvt. Limited

MK Parameswaran
Station Director

